

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATEDDate of filing in State Engineer's Office AUG 31 1976

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed Sept. 9, 1976  
Under 30609The applicant Carson City1711 N. Roop St. of Carson City  
Street and No. or P.O. Box No. City or TownNevada 89701, hereby make application for permission to change the  
State and Zip Code No.point of diversion of a portionof water heretofore appropriated under Permit No. 24986 Certificate No. 7366

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Underground  
Name of stream, lake or other source.
2. The amount of water to be changed 0.226 cfs  
Second feet, acre feet.
3. The water to be used for (No change)  
If for stock state number and kind of animals.
4. The water heretofore used for Municipal  
If for stock state number and kind of animals.
5. The water is to be diverted at the following point within the NE $\frac{1}{4}$  NE $\frac{1}{4}$  Section 18,  
T.15N., R.20E., M.D.B.&M., from which the NE corner of said  
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be  
Section 18 lies N. 11° 33' 49" E. a distance of 637.80 feet.  
stated.
6. The existing point of diversion is located within SE $\frac{1}{4}$  SE $\frac{1}{4}$  Section 17, T.15N., R.20E.,  
M.D.B.&M., at a point from which the SE corner of said Section 17  
If point of diversion is not changed, do not answer.  
bears S. 9° 49' 15" E., a distance of 648.5 feet
7. Proposed place of use is Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, N $\frac{1}{2}$ , 11, 15, 16, 17, 18,  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
E $\frac{1}{2}$ , 19, 20, 21, 28, 29, E $\frac{1}{2}$ , 30, E $\frac{1}{2}$ , 31, 32, W $\frac{1}{2}$  33, T.15N., R.20E.,  
M.D.B.&M.; Sections E $\frac{1}{2}$  1 & 12 in T.15N., R.19E., M.D.B.&M.;  
Sections S $\frac{1}{2}$  31, S $\frac{1}{2}$  32, 33, & W $\frac{1}{2}$  34, in T.16N., R.20E., M.D.B.&M.
8. Existing place of use is within portions of Section 12, T.15N., R.19E.,  
Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.  
M.D.B.&M.; and portions of Sections 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 16,  
17, 18, 19 & 20, T.15N., R.20E., M.D.B.&M.
9. Use will be from No change to \_\_\_\_\_ of each year.  
Day and Month Day and Month
10. Use has been from January 1st to December 31 of each year.  
Day and Month Day and Month
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump, motor and  
State manner in which water is to be diverted, whether by dam or other works,  
transmission lines to municipal system.  
whether through pipes, ditches, flumes, or other conduits.

12. Estimated cost of works.....\$75,000.00
13. Estimated time required to construct works.....One (1) year
14. Estimated time required to complete the application of water to beneficial use.....Ten (10) years
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared.....lp/ns.....lk/ga.....Applicant.....Carson City.....

By.....s/Paul Lumos.....

1711 N. Roop St.

Carson City, Nevada 89701

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 24986, Certificate 7366 is issued subject to the terms and conditions imposed in said Permit 24986, Certificate 7366 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030: The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.226.....cubic feet per second

Actual construction work shall begin on or before.....July 18, 1977

Proof of commencement of work shall be filed before.....August 18, 1977

Work must be prosecuted with reasonable diligence and be completed on or before.....July 18, 1978

Proof of completion of work shall be filed before.....August 18, 1978

Application of water to beneficial use shall be made on or before.....July 18, 1981

Proof of the application of water to beneficial use shall be filed on or before.....August 18, 1981

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....IN TESTIMONY WHEREOF, I, ROLAND D. WESTERGARD,  
 Completion of work filed.....State Engineer of Nevada, have hereunto set my hand and the seal of  
 Proof of beneficial use filed.....my office, this 18th day of January,  
 Cultural map filed.....  
 Certificate No.....Issued.....A.D. 19 77  
 Recorded.....Bk.....Page JUL 21 1977

State Engineer

240 WITHDRAWN BY APPLICANT

STATE ENGINEER